

XMPie Video Service (XVS)

Quick Guide

Version 1.3



one to one in one™

A **xerox**  Company

© 2020 XMPie®, A Xerox Company. All rights reserved.

U.S. Patents 6948115, 7406194, 7548338, 7757169, 10180815, 10491947 B1, JP Patent 4406364B and pending patents.

XMPie Video Service (XVS) Quick Guide, Version 1.3, May 2020

For information, contact XMPie Inc.
485 Lexington Avenue
25th. Floor
New York, NY 10017

More information can be found at www.xmpie.com

XMPie provides this publication "as is" without warranty of any kind, either express or implied. This publication may contain technical inaccuracies or typographical errors. While every precaution has been taken in the preparation of this document, the publisher and author assume no responsibility for errors or omissions. Nor is any liability assumed for damages resulting from the use of the information contained herein. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. XMPie may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time.

XMPie, the XMPie logo, PersonalEffect, uChart, uCreate, uDirect, uEdit, uImage, uPlan, uProduce, uStore, StoreFlow, TransMedia, Circle, ADOR, XLIM, eMedia Cloud, RURL, XMPL, OpenXM and the slogan "one to one in one" are trademarks or registered trademarks of XMPie, A Xerox Company, and may not be used without permission. No part of these materials may be used or reproduced in any form, or by any means, without the express written consent of XMPie. To request permission to use these materials, please contact marketing@xmpie.com.

XEROX® and XEROX FreeFlow®, FreeFlow Output Manager® and FreeFlow Process Manager® are trademarks of Xerox Corporation in the United States and/or other countries.

Adobe Acrobat, Adobe Dreamweaver, Adobe Illustrator, Adobe InDesign, Adobe Photoshop and Adobe After Effects are trademarks of Adobe Systems Incorporated.

SQL Server, Windows Server, Windows, Microsoft Office, Microsoft Excel and Microsoft Access are trademarks or registered trademarks of Microsoft Corporation.

Mac OS is a trademark of Apple Computer, Inc.

ComponentArt is a trademark of ComponentArt Inc.

Other trademarks and service marks are the property of their respective owners.

Contents

Overview	2
Minimum system requirements for uMerge Video	2
XMPie Video workflow	3
Design	3
Rendering	6
Local rendering.....	6
Deployment.....	7
Service Management	9
View projects.....	9
View records.....	10
Define webhooks.....	10
Render records.....	12
View unique visits	13
View remaining credits.....	13
Show options	13
On-demand video render	14
Delete records.....	14
Delete projects.....	15

Overview

XMPie Video Service (XVS) is a video personalization solution which enables the creation of variable content videos. It consists of two main components:

- **uMerge Video:** A plug-in to Adobe After Effects which enables to define movie variability and to upload video projects (including resources and data that define the variability) to the cloud.
- **XVS Dashboard and API:** A cloud service on Amazon AWS which renders the movies for streaming, streams the final movies and manages the users and the projects of the service.

Read the [Best practices and guidelines for motion designers](#) article to learn how to prepare and organize your After Effects project for deployment and rendering on the cloud.

Watch [XMPie Video Service video training](#) for an introduction of the XMPie Video Service, including uMerge Video, which enables the tagging of an Adobe After Effects file, and XMPie Video Service Dashboard which manages, renders, and streams the personalized videos.

Minimum system requirements for uMerge Video

Processor	Multicore Intel processor with 64-bit support
Operating system	<ul style="list-style-type: none">• PC workstation: Microsoft Windows 10 (64 bit) versions 1703 (Creators Update) and later• Mac: macOS Catalina and above
RAM	16 GB minimum (32 GB recommended)
GPU	2GB of GPU VRAM. XMPie recommends you have a graphics processor (GPU) certified by Adobe. For a list of certified cards, see Photoshop graphics processor (GPU) card FAQ
Hard disk space	6GB of available hard-disk space; additional free space required during installation (cannot install on removable flash storage devices) Additional disk space for disk cache (10GB recommended)
Monitor resolution	1280x1080 or greater display resolution
3rd-Party software	Adobe After Effects CC-2020 and above
Internet	High-speed internet


XMPie Video workflow


The XMPie video solution workflow is divided into the following phases: design and rendering.

Design

This phase consists of connecting to a data source and attaching tags to text or graphic elements in the movie. Graphic elements can be either image, video or audio files.

To link to a data source and tag design elements:

1. In After Effects, open your project.
2. From the **Window** menu, select **Extensions > uMerge Video** to open the uMerge Video panel.
3. From the **Options**  menu, select **Link to Data Source**.




4. Select a CSV file and click **Open**.

The **uMerge Video** panel opens, displaying the available tags.




5. If you wish to tag a **graphic** element (image, video or audio), perform the following:


- Modify the data field type by right clicking the text  icon and selecting **Change to Graphic**.



- Define the location of the asset folder by selecting **Set Assets Folder** from the **Options**  menu.


6. To tag a **text** layer with text data fields:

- Select the text layer to which you wish to apply variability.
- On the uMerge Video panel, click the **Edit tag**  icon.





- Click the desired text tag to add it to the **Content of layer** area.
- If you wish to apply copy fitting, display the record that represents the width you wish to maintain for all other records (e.g. a six-letter name), and then select the **Copy Fitting** checkbox. All records will maintain the same width.
- Click **Save**.

- To tag text with a Style property:
 - Change the field type to **Style**.
 - Select the text layer.
 - Click the **Style** field.



The text color will vary according to the data of the Style field.

- To tag a graphic layer with graphic data fields:
 - Select the image, video or audio layer to which you wish to apply variability.
 - On the uMerge Video panel, click the **Edit tag**  icon.



- From the **Select graphic tag** list, select the graphic tag to which you wish to associate your layer.
- If you wish to apply copy fitting, display the record that represents the size you wish to maintain for all other records (e.g. a 300px x 500px rectangle), and then select **Copy Fitting**. All records will maintain the same rectangle size.
- Click **Save**.

Note: To each layer that is tagged a maker (**#XVS#**) is added, denoting that it is a dynamic layer. Do not touch these markers.

Rendering

Two rendering options are available:


- **Local rendering:** Creation of individual movies one by one. These movies are created and saved locally.
- **Deployment:** This is the preferred option. It allows quick rendering of multiple movies, hosted on AWS cloud.


Rendering is performed using the Adobe Media Encoder application.

Local rendering


You may render a single full record locally. This is mainly for testing purposes or when you wish to produce a very small number of movies without uploading them to the cloud.

To perform local rendering:

1. Open your project in After Effects.
2. From the **Options**  menu, select **Render Locally**. The **Render Local** window opens with the **Set Record Id** popup above.



3. In the **Record Id** field, compose the variability of the name of the final movie, e.g. `{{First Name}}_{{Prefer}}`, and click **OK**.
4. From the **Render item** list, select the composition you wish to render.




5. Click **Render**.
Once rendering has ended, you can access the rendered movie.




Deployment


Use the **XMPie Video Service (XVS)** when you wish to render multiple records. In order to use the service, you must first log on to it.

To perform XVS rendering:

1. Open your project in After Effects.
2. From the **Options**  menu, select **Deploy**.
3. Log in to the XMPie Video Service.
The **Deploy to XMPie Video Service** window opens with the **Set Record Id** popup above.



4. In the **Record Id** field, compose the variability of the name of the final movie, e.g. {{First Name}}_{{Prefer}}, and click **OK**.
5. From the **Render item** list, select the composition you wish to render.



6. Select any of the following parameters:
 - **Upload fonts** – To use the project fonts in the final video, copy all fonts used by the project to the following folder:
 - Windows - C:\Program Files\Common Files\Adobe\Fonts\XMPUVideo
 - Mac - ~/Library/Application Support/Adobe/Fonts/XMPUVideo
 - **Upload assets** – Uploads only the assets represented by the graphic fields in the current data source.
 - **Upload data source** – Uploads the current data source.
7. Click the **Deploy** or **Deploy & Render** button as follows:


- Use **Deploy** to upload the project, its resources and optionally the assets and data source to the XVS service.
- Use **Deploy & Render** to additionally trigger rendering of the project according to the uploaded data source. This option is available only if the **Upload fonts**, **Upload assets** and **Upload data source** checkboxes are selected.

Note: When using **Deploy & Render**, it is advisable **not** to work with the final CSV file that contains all recipients. Instead, use a relatively small (less than 50) set of recipients.

In order to complete rendering of all recipients, use the [XVS Dashboard](#) to upload and render the rest of the recipients.

At this point deployment or deployment and rendering takes place in the background. You can quit After Effects and continue with any other work that you may have.

Once the process has ended, a status window appears, providing you a link to the XVS dashboard.



If you've only deployed the project, go to the dashboard, upload the required materials and then render.

If you deployed and rendered, the rendering process may still be taking place. Go to the dashboard to see the rendered movies.

Service Management

The XMPie Video Service comes with a web management application known as **XVS Dashboard**, which enables you to render records, view your projects and rendered movies, and delete projects.

Log in to the Dashboard at <http://prod.xmpvs.com/>

View projects

You may view the various projects that have been rendered to the service.

XMPie Video Service					XMPPreSales ▼
Project	Name	Status	Last Modified	Messages	
	Sanity_Check3_AAC (3) 74F1E6C9865745D781F6198B92346885	Completed	Tue, 29 Oct 2019 09:33:42 GMT		
	Pressocup_Dynamic_005 (4) 58B0288D80364ECA91CCDF04F8CD6CAC	Completed	Thu, 24 Oct 2019 15:33:13 GMT		
	Unique Travel (7) 3150E54914144716AF8C4BF80EFF2DCE	Completed	Thu, 24 Oct 2019 05:29:28 GMT		

For each project click the icon to view the relevant snippet, which can be used to insert a link to the complete personalized video in your HTML page or email:

Project: Sanity_Check3_AAC

Personalized video URL

Use the following link to display the personalized video. You can insert the link in an email, SMS, etc. Make sure to change the {Record_ID} to the required record ID.

https://videos.xmpvs.com/XMPPreSales/74F1E6C9865745D781F6198B92346885/{RECORD_ID}

Personalized video HTML snippet

Copy and paste the Script section of the snippet into the Head section of your personalized HTML page, and the Body content into the Body section. When browsing to the personalized HTML page, you must supply the rid={record_ID} in the query string. For example: http://.....html?rid=Harry_Miller. Otherwise, provide a default record ID within the script section.

Note that certain functions in this snippet, such as URLSearchParams, may not be compatible with all browsers.

```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<title>Test</title>
<script>
// Copy and paste this section into the Head section of your personalized HTML page
const xmpVideosOnDemandDomain = "https://videos.xmpvs.com";
const userId = "XMPPreSales"; // User ID
const projectId = "74F1E6C9865745D781F6198B92346885"; // Project ID
const defaultRecordId = "DEFAULT RECORD ID"; // IMPORTANT: Set your default record ID here.

var recordId = new URLSearchParams(window.location.search).get('rid'); /* Gets the record ID from the URL */
if (!recordId) // If no record ID has been supplied in the URL, the default record ID will be used.
  recordId = defaultRecordId;

var url = xmpVideosOnDemandDomain + "/" + userId + "/" + projectId + "/" + recordId; // The video URL
document.addEventListener('DOMContentLoaded', (event) => {
  document.getElementById('myVideo').src =
```

View records

Click a project to view its records, and then select the record you wish to run.

The screenshot displays the 'Pressocup_Dynamic_005' project page. It features a 'Project Progress' section with a 'Completed' status of '3 of 3 Records'. Two progress indicators are shown: 'Render' at 100% and 'Visits 0/3' at 0%. A 'Status' section shows 3 Succeeded, 0 Failed, and 0 Waiting records. Below this is a table of records:

Record ID	Status	Tags	Data Source	Messages
Pressocup5_mp3_Frida_Birthday	Succeeded	<>	-(2020-02-23 13:49:18)	
Pressocup5_mp3_Roy_Anniversary	Succeeded	<>	-(2020-02-23 13:49:18)	
Pressocup5_mp3_Shmuel_Graduation	Succeeded	<>	-(2020-02-23 13:49:18)	

Define webhooks

Webhooks allow XVS to communicate with external services in order to broaden its customer communication capabilities.

For example, XVS creates a new video and when the rendering is completed, a webhook is called. The webhook can be a call to a REST API, which in turn triggers an email to the recipient with a link to the video. One option is to use the API of [XMPie Circle](#), XMPie's platform for cross-media campaigns.

Another example is to use [Zapier](#) to send notifications to Facebook. Developers can also create any REST API to be executed following record rendering.

To create a webhook:

1. Click the **Webhooks** link, and then click **Add** to create a new webhook.
2. Give the webhook a name.
3. Enter the following information:

Create webhook

Webhook Name

Event Type
RenderDone ▼

Url

Method
POST ▼

Headers (Type {{ to get the Tags list})
 Example: {"Content-Type":"application/json"}

Body (Type {{ to get the Tags list})
 Example: {"foo": "value"}

- **URL:** The URL to which data is sent when the trigger occurs. This can either be a URL that you've set up in Circle, Zapier or other service, or a REST API.
 - **Method:** GET, PUT or POST method.
 - **Header:** The API header JSON data.
 - **Body:** The JSON data that is sent to the URL. The data can include static text, or any of the tag values.
4. Test the configuration by clicking **Add & Test** and selecting a sample record. This executes the webhook and allows you to check that it is valid.

The following is an example of an XVS webhook feature used to trigger an email to be sent to the recipient when the personalized video has been created and is ready to be viewed.

Create webhook

Webhook Name
SendEmailWhenDone

Event Type
RenderDone

Url
http://fx.xmpie.com/XMPieXMPL_REST_API/v1/projects/ba6ef21f-c482-4cbf-977d-09a941d38b7f_0

Method
POST


Headers (Type {{ to get the Tags list)
Example: {"Content-Type":"application/json"} I

Body (Type {{ to get the Tags list)
632874ef0e3f_98180510352c42cf8771db4c69726dc9",
"customizations": {},
"RecipientID": "{(XMPieRecipientKey)}",
"TouchPointID": "E1"

Render records


After a project is deployed, you can render it from the Dashboard to create more movies.

You may first need to upload the relevant assets. Simply click **Upload > Upload Assets** and select the necessary assets.




After the upload, you may review the assets in the **Assets** tab.

You may also add recipients that you wish to render. Simply click **Upload > Upload Datasource**, select the relevant data source and click **Render**.



View unique visits

The Visits chart shows for each project the number of unique playbacks of video records.



View remaining credits

You may view how many rendering credits remain in your subscription.

At the top right-hand corner of the screen click your user name, and from the menu select **Credits**.

XMPie Video Service XMPPreSales

Subscription Credits


Remaining Credits: 1000

Projects

Show options

You may filter the list of records to view:

- All records
- Completed records
- Records Waiting to be rendered
- Records that failed to render



Once selected, you can render the filtered records. For example, render all records waiting to be rendered, as can be seen in the following example:

XMPie Video Service XMPPreSales

Pressocup

Project Progress: 0 of 3 Records

0% Render 0% Visits 0/3

Status: 0 Succeeded, 0 Failed, 3 Waiting

Render All Upload Add

Record ID	Status	Tags	Data Source	Messages
Pressocup_Frida_Birthday	Waiting	<>	Pressocup_data2 (2020-02-23 14:12:03)	
Pressocup_Roy_Anniversary	Waiting	<>	Pressocup_data2 (2020-02-23 14:12:03)	
Pressocup_Shmuel_Graduation	Waiting	<>	Pressocup_data2 (2020-02-23 14:12:03)	

On-demand video render

If you wish to render a video for an additional recipient, you may use this option.

- Click the **Add** button and fill in the form.

Add Record

Recipient Name

Sender Name

Event

Sender Free Text

Event Footage

Coffee Brand Name

Coffee Brand Image

Add & Render Add Cancel

- Click **Add** to add a record to be rendered later, or **Add & Render** to start rendering now.

Delete records

Records may be deleted by clicking the bin icon.

The screenshot shows the XMPie Video Service interface for a project named 'Pressocup'. The top navigation bar includes 'Records', 'Assets', and 'Webhooks (Beta)'. The main content area features a video preview, a 'Project Progress' section with two circular progress indicators (0% for Render and 0% for Visits 0/3), and a 'Status' summary showing 0 Succeeded, 0 Failed, and 3 Waiting records. Below this is a table with columns for Record ID, Status, Tags, Data Source, and Messages. The table contains three records, all with a 'Waiting' status and a bin icon for deletion.

Record ID	Status	Tags	Data Source	Messages
Pressocup_Frida_Birthday	Waiting	<>	Pressocup_data2 (2020-02-23 14:12:03)	
Pressocup_Roy_Anniversary	Waiting	<>	Pressocup_data2 (2020-02-23 14:12:03)	
Pressocup_Shimuel_Graduation	Waiting	<>	Pressocup_data2 (2020-02-23 14:12:03)	

Delete projects

Projects may be deleted by clicking the bin icon.

The screenshot shows the 'XMPie Video Service' interface. At the top right, there is a user profile 'HWPR'. Below the header, there is a table with columns: Project, Name, Status, Last Modified, and Messages. The table contains six rows of project data. A modal dialog box titled 'Delete project' is open over the second row. The dialog asks 'Are you sure you want to delete the project CI-XMPie3_B2_forDeploy?' and provides the project ID '8F38C6FCE03540F6B100FECCF9262780'. It also includes a text input field for the project ID, which is currently filled with the same ID. At the bottom of the dialog are 'CANCEL' and 'OK' buttons.

Project	Name	Status	Last Modified	Messages
	PressoCupColor_CC19Beta2 (5) AF8229C37E6947EA83F1FBA36BAA5218	Completed	Thu, 11 Apr 2019 14:11:02 GMT	
	CI-XMPie3_B2_forDeploy (2) 8F38C6FCE03540F6B100FECCF9262780	Completed	Thu, 11 Apr 2019 11:19:13 GMT	
	PressoCupColor_CC19Beta2 (5) 0A251D38858F490B9589E19971A9B1FC	Completed	Thu, 11 Apr 2019 08:13:01 GMT	
	PressoCupColor_CC19Beta2 (4) B2D09DB9B0A34DE69A3698031F6EFC6E		54:48 GMT	
	Casino-For-Demo (7) 83424682ED0D4E239CED16AA56951216		58:35 GMT	
	PressoCupColor_CC19Beta2 (0) 67DFB190702A4021DF48D969EE312BE5		3:06:24 GMT	

Delete project

Are you sure you want to delete the project CI-XMPie3_B2_forDeploy?
(Project id: 8F38C6FCE03540F6B100FECCF9262780)

Type the id of the project to confirm:

Project id
8F38C6FCE03540F6B100FECCF9262780